



**RESIDENCE INN 2009
INTERIOR SIGNAGE PACKAGE**

Featuring attractive ADA compliant signage, signs consist of a painted acrylic backer in Turkish Coffee-Sherwin Williams 6076 with a Chemetal Pewter Vine accent. The face of the signs is Metallic Grey-Matthews MP18249, with Frutiger copy and border in White. Guest room numbers and other permanent room identification are created using a photopolymer process which produces raised integral tactile images and Grade II Braille.

We Make Ordering Easy!

WAYFINDING

Send Graphics Systems, Inc. your hotel's floorplan and let us assist with your signage order. Our experienced wayfinding staff will determine your property's specific requirements and provide you with a detailed plan that includes a graphic of each sign, signtype, quantity, price and location, all in an easy to read format.

NO DESIGN FEES

Our talented design team will create any additional signage you require, including state and local code signage, free of charge.

NO MAP CHARGES

Our professional artists will draw your fire evacuation maps free of charge. Just send us your floorplans and we'll do the rest.

Guest Room Signage




5-3/4" x 3-1/2"
RMN 0604 RES 09
Guest Room Number



3" x 3"
AC33/HI33 RES 09
Accessible /
Hearing Impaired Symbols



6" x 3"
WLD 0603 RES 09
Warning Decal



3" x 5/8"
DBV 31 RES 09
Deadbolt Decal



3" diameter
SHP33/SHV33
Sprinkler Warning
Lexan™ or Decal
available




3-1/2" x 2"
INF 0402 RES 09
Hearing Impaired
Informational



5" x 12-1/4"
FEP 0512 RES 09
Standard
Guest Room
Evacuation Plan




5" x 12-1/4"
LAW 0512 INS RES 09
Law/Rate Card Holder




23" x 10"
FEP 2310 RES 09
Guest Room
Evacuation Plan w/ Window for flat doors

6-3/4" x 9"
FEP 0709 RES 09
Guest Room Evacuation
Room Rate/State Law Insert

Front Desk Signage



11-3/4" x 4"
MOD 1204 RES 09
Manager On Duty Insert




10" x 1-1/8"
MOD 1103 INSERT RES 09
Manager On Duty Insert



8-1/4" x 4"
INF 0804 RES 09
1-2 Line Informational,
Interior or Exterior



8-1/4" x 8"
OWN 0808 RES 09
Owner/Operator



8-1/2" x 11"
FDM 0911 RES 09
Front Desk Map on Disk

9-5/8" x 12-1/8"
FDM HOLDER RES 09
Front Desk Map Holder

Identification Signage



6-1/2" x 4"
ID 0704 EXT/BH RES 09
1-2 Line Small Identification



8-1/4" x 4"
ID 0804 RES 09
1-2 Line Large Identification

8-1/4" x 6-1/2"
ID 0807 RES 09
3-4 Line Large Identification



8" x 11-1/2"
MR 0812 RES 09
Meeting Room Identification



6-1/2" x 9"
RES 0709 RES 09
Restroom Identification

Market Signage




24-1/2" x 7-11/16"
MFA 2508 RES
The Market Metal Face
Cut Out Acrylic Logo



9-1/2" x 6"
ID 1006 RES 09 MARKET
Market ID Sign


Informational Signage







8-1/4" x 5-1/2"
INF 0806 RES 09
Informational,
Interior or Exterior




6-1/4" x 4-1/4"
INF 0604 RES 09
Telephone Informational




8-1/4" x 5-1/2"
MAX 0806 RES 09
Informational



10-1/4" x 7"
HR 1007 RES 09
Informational



13-1/4" x 12"
TDD 1312 RES 09
Informational



9-1/4" x 7"
ACC 0907 RES 09
Accessible Informational, Exterior



5" x 1-1/2"
INF 0502 RES 09
Bin Informational

Parking Lot Signage



15" x 15"
PLW 1515 RES 09
"NOTICE" Parking Informational




12" x 18"
PRK 1218 RES 09
Parking Informational

Projection Mounted Signage



14-7/8" x 12"
PRO 1412 RES 09
Double-Sided,
Wall Projected
Restroom Informational

Directional Signage




9" x 5-1/2"
DIR 0906 RES 09
1-2 Line, Small Directional




13-1/4" x 5-1/2"
DIR 1306 RES 09
1-2 Line, Large Directional



13-1/4" x 10-1/2"
DIR 1311 RES 09
5-6 Line, Large Directional
13-1/4" x 13"
DIR 1313 RES 09
7-8 Line, Large Directional (not shown)
13-1/4" x 15-1/2"
DIR 1316 RES 09
9-10 Line, Large Directional (not shown)



9" x 8"
DIR 0908 RES 09
3-4 Line, Small Directional



13-1/4" x 8"
DIR 1308 RES 09
3-4 Line, Large Directional

Stair & Elevator Signage



8-1/4" x 9-1/4"
FBH 0809A RES 09
Ground Floor
Elevator Evacuation
8-1/4" x 9-1/4"
FBH 0809B RES 09
Floors 2 & Up
Elevator Evacuation



12" x 12-1/4"
STR 1212 RES 09
Stairwell Level Identification for 4 Floors
12" x 16-5/8"
STR 1217 RES 09
Stairwell Level Identification for 5 Floors & Up



2-3/4" x 3-1/2"
ELJ 0304 RES 09
Elevator Door Jam




6" x 6"
STR 0606 RES 09
Interior Stairwell Information
Acceptable in some areas
check w/ Local Fire Marshal



8-7/8" x 4"
PRO 0904 RES 09
Double-Sided,
Wall Projected Informational

Key Card Signage



10" x 7"
INF 1007 EXT RES 09
Key Card Informational



3-1/2" x 2"
INF 0402 RES 09
Guest Room Key Card
Informational

Health Club Signage

Pool Area Use

For your safety, it is required that you observe the following:

- Registered guests only.
- All children under 14 must be with an adult.
- Running and horseplay are prohibited.
- Appropriate swim wear required.
- Diving strictly prohibited.
- Shirts and shoes required in the hotel lobby.
- Glassware is not permitted within the pool area.
- Only flexible swim-aids are permitted.
- Be aware of depth markings at all times.
- Report any unsafe conditions or violations to the management immediately.
- Individuals assume the risk for any injuries sustained while using pool facilities.
- Always practice water safety and courtesy.
- Shower before entering pool.
- Children who are not toilet trained must wear swim diapers with rubber pants over them.

Thank you for your attention and cooperation.

23" x 23"
PR 2323 RES 09
Pool Rules

Whirlpool Spa Use

For your safety, it is required that you observe the following:

- Registered guests only.
- Individuals utilizing this facility do so at their own risk.
- **WARNING** - No consumption of alcoholic beverages or food is permitted in pool area.
- It is highly recommended that the following individuals not use the whirlpool spa:
 - a) persons with present or prior heart disease, high blood pressure, or any chronic health problems.
 - b) persons under the influence of alcohol, stimulants or depressants.
 - c) pregnant women.
 - d) elderly persons.
 - e) children under the age of 10.
 - f) unsupervised children under the age of 15.
- Should you need any assistance, please contact management.
- **WARNING:** Chemical and PH levels are in accordance with local codes and measured regularly.
- However, high heat and chemical in this spa may cause fading and/or damage to certain fabrics.
 - Always practice water safety and courtesy to others.
- Report any unsafe conditions to the management.
- All persons shall bathe with warm water and soap before entering spa.
- Any persons known or suspected of having a communicable disease shall not use the spa.
- Spitting or blowing the nose in the spa is prohibited.
 - Do not use alone.
- Observe a reasonable time limit, (preferably not longer than 15 minutes), then shower, cool down and if you wish, return for another brief stay. Long exposures may result in nausea, dizziness or fainting.
- Food and glass objects are not permitted in spa area.
- Maximum temperature 104° Fahrenheit.

MAXIMUM BATHING LOAD

9

Thank you for your attention and cooperation.

23" x 23"
WR 2323 RES 09
Whirlpool Spa Rules

SPA TIMER SWITCH
TURN DIAL TO OPERATE
15 MINUTE MAXIMUM

4" x 6"
ST 46 RES 09
Spa Timer Informational

SPORT COURT USE

FOR YOUR SAFETY IT IS REQUIRED THAT YOU OBSERVE THE FOLLOWING:

- Registered guests only.
- Court hours: 9:00 AM to 10:00 PM.
- Individuals utilizing this facility do so at their own risk.
- Individuals should not undertake exercise routines unless physically qualified and have a physician's approval to do so.
- It is highly recommended that persons under the influence of alcohol, stimulants or depressants not use the exercise area.
- Minors should be supervised by parent or guardian.
- Should you need assistance, please contact management.
- Exercise only in the presence of others.
- Shoes and appropriate exercising attire are necessary.
- Always practice safety and courtesy to others.
- Report any unsafe conditions to the management.


Thank you for your attention and cooperation.

14" x 14"
SCU 1414 RES 09
Sport Court Use

MOUTH-TO-MOUTH RESUSCITATION


A - AIRWAY

1. Clear the mouth.
2. Push or pull jaw into a jutting out position.



B - BREATHING

3. Pinch nose SHUT.
4. Cover victim's mouth with your mouth. BLOW until chest rises; for BABIES, cover mouth and nose.
5. Remove your mouth. Listen for return air. Repeat 12 to 15 times per minute.



CAUTION: If a neck injury sign appears, move the lower jaw forward without tilting the head to open the airway. Rest your elbow without tilting the head to open the airway. Rest your elbow on the surface which the victim is laying. Move the lower jaw forward with both hands, one on each side.

20" x 20"
MM 2020 RES 09
Mouth-to-Mouth Resuscitation

Exercise Room Use

For your safety, it is required that you observe the following:

- Registered guests only.
- Individuals utilizing this facility do so at their own risk.
- Individuals should not undertake exercise routines unless physically qualified and have a physician's approval to do so.
- It is highly recommended that the following individuals not use the exercise equipment:
 - persons under the influence of alcohol, stimulants or depressants
 - unsupervised children under the age of 16
 - children under the age of 14
- Should you need any assistance please contact the Front Desk.
- Equipment should be used in the presence of others.
- Shoes and appropriate exercising attire are necessary.
- Smoking is prohibited.
- Always practice safety and courtesy to others.
- Report any unsafe conditions to the management.

Thank you for your attention and cooperation.

20" x 20"
EXR 2020 RES 09
Exercise Rules

WARNING!

NO DIVING

SHALLOW WATER



CRIPPLING INJURIES MAY RESULT

14" x 14"
WND 1414 RES 09
No Diving

WARNING: THIS FACILITY IS UNATTENDED AND IS NOT CONTINUOUSLY MONITORED. THIS FACILITY IS PROVIDED TO OUR GUESTS AS AN AMENITY AND SHOULD NOT BE CONSIDERED A FULL-SERVICE FITNESS FACILITY.

GUESTS SHOULD ONLY USE THIS FACILITY AFTER THEY HAVE CONSULTED A PHYSICIAN TO DETERMINE IF THE USE OF THE EQUIPMENT IN THIS FACILITY IS APPROPRIATE.

AN AUTOMATED EXTERNAL DEFIBRILLATOR HAS BEEN PROVIDED, IN CASE OF AN EMERGENCY.

AS WITH ANY MEDICAL EMERGENCY, 9-1-1 SHOULD BE NOTIFIED PRIOR TO THE RENDERING OF ANY FIRST AID ASSISTANCE.

10" x 10"
AED W1 RES
Automated External Defibrillator
For Unattended Fitness Center

WARNING: THIS FACILITY IS ATTENDED ONLY DURING THE HOURS OF _____. THIS FACILITY IS NOT ATTENDED AT TIMES OUTSIDE OF THESE HOURS. THIS FACILITY IS PROVIDED TO OUR GUESTS AS AN AMENITY AND SHOULD NOT BE CONSIDERED A FULL-SERVICE FITNESS FACILITY.


GUESTS SHOULD ONLY USE THIS FACILITY AFTER THEY HAVE CONSULTED A PHYSICIAN TO DETERMINE IF THE USE OF THE EQUIPMENT IN THIS FACILITY IS APPROPRIATE.

AN AUTOMATED EXTERNAL DEFIBRILLATOR HAS BEEN PROVIDED, IN CASE OF AN EMERGENCY.

AS WITH ANY MEDICAL EMERGENCY, 9-1-1 SHOULD BE NOTIFIED PRIOR TO THE RENDERING OF ANY FIRST AID ASSISTANCE.

10" x 10"
AED W1 RES
Automated External Defibrillator
For Attended Fitness Center

Health Club Signage continued



10" x 7"
PS 1007 RES 09
Informational/Slider Sign



36" x 8"
ND 3608 RES 09
No Diving



36" x 15"
NLG 3615 RES 09
No Lifeguard On Duty

Grill Use Signage



11" x 8"
GU 1108 RES 09
Grill Use



6" x 4"
PIT 0604 RES 09
Fire Pit Informational



6" x 4"
PIT 0604B RES 09
Fire Pit Informational

Portico Signage



60" x 10"
CL 6010 RES 09
Clearance Sign





ARCHITECTURAL SIGN SYSTEMS

GUEST ROOM NUMBER AND ROOM IDENTIFICATION INSTALLATION

The preferred location for ADA compliancy is on the wall adjacent to the latch side of the door followed by nearest adjacent wall.
If double doors are present (both active), the sign should be located on the right hand side of the right door.
If only one door is active, the sign should be located on the other door. Signs with tactile characters shall be permitted on the push side of doors with closers and without hold-open devices (i.e. - Restrooms, Guest rooms).


PEEPHOLES NOTE:
Center sign vertically between peepholes if room is accessible.
If room is not accessible mount Evacuation Plan 2" below peephole

CALIFORNIA EVACS (guest room) are to be mounted no higher than 48" to the bottom of the sign, above finished floor



VINYL BLOCKER FOR GLASS MOUNTING

Signage that will be mounted on glass will require a vinyl blocker to hide the signage mounting tape and silicone adhesive. The vinyl blocker is mounted to the glass. The signage is mounted on top of the vinyl blocker.



Signage Mounting Instructions


1. Installation surface must be CLEAN and DUST FREE.
2. Place a small "dot" of silicone in each corner of the sign. The "dot" should be 1/4" to 3/8" in diameter.

WARNING! FOR PRODUCTS WITH METALLIC CONTENT (brass, aluminum, silver, gold, copper, etc.) USE ONLY NON-CORROSIVE SILICONE FOR PRODUCT INSTALLATION! We recommend Silicone XL by M-D (Macklanburg-Duncan) which is regarded as non-corrosive to metals. USE OF REGULAR SILICONE OR OTHER LIQUID ADHESIVES WILL VOID ANY/ALL EXPRESSED OR IMPLIED PRODUCT WARRANTIES REGARDING OXIDATION OF THE METALLIC CONTENT.

3. Remove paper backing from foam tape.
4. Position sign in desired location and apply enough pressure to ensure the foam tape sticks to the mounting surface. The foam tape will hold the sign in place until the silicone adhesive cures.
5. If removal is required, slide a putty knife gently behind the sign and "cut" through the silicone adhesive and the foam tape.

Signs MUST
be Mounted with
Foam Tape AND
Silicone

Tape Holds Sign
Until Silicone
Dries



If you have any questions concerning these instructions or problems with signage installation, call 316-267-4171 for assistance.

Signage Cleaning Instructions

Do NOT clean unless signage appears soiled.

Do NOT use solvents or ammonia based cleaners. Use of such cleaners will void all warranties.

Use a clean, damp, non-abrasive, lint free cloth to wipe the sign surface.

Do NOT immerse sign. Excess water will damage interior grade Braille signage.

When the soil has been removed, wipe the sign with a clean, dry, non-abrasive, lint free cloth.

If you have any questions concerning these instructions, call your account executive at 316-267-4171 for assistance.